

**To:** Mullin, Michelle[Mullin.Michelle@epa.gov]; Crawford, Jennifer[Crawford.Jennifer@epa.gov]  
**Cc:** Pace, Christopher[Pace.Christopher@epa.gov]  
**From:** Dodo, Gerald  
**Sent:** Wed 2/24/2016 10:48:01 PM  
**Subject:** RE: PCB R5 CRL SOPs for TSCA

.....  
>>>>>>>>

We can provide the wipes and the 4 oz jars. Let us know where to send them. The wipes will be in jars, pre-soaked in hexane as we had used in an earlier project, Rainier Commons. We will follow our own SOPs for PCB analyses that have been used previously although there is some updating that's needed. The 2 weeks for preliminary results need can be met. Let me know if this can work for you.

Gerald Dodo

Supervisory Chemist

DWCO

USEPA Region 10 Laboratory

7411 Beach Dr. East

Port Orchard, WA 98366

Phone: (360) 871-8728

FAX: 360-871-8748

**From:** Mullin, Michelle  
**Sent:** Wednesday, February 24, 2016 12:52 PM  
**To:** Dodo, Gerald ; Crawford, Jennifer  
**Subject:** FW: PCB R5 CRL SOPs for TSCA

Hello-

Some follow up items to prepare for the R5 PCB inspection at the school in Monroe:

CRL just sent me these attached SOPs.

I also heard back from the inspector, and he would like to have sampling materials for 12 wipe samples, and 1 case of 4oz glass jars to collect bulk potting material samples. It looks like the inspection will happen in 2 weeks.

We were also wondering if a 2 week turnaround time for at least preliminary results will be achievable.

Thanks,

**Michelle Mullin**

PCB Coordinator

US EPA Region 10

1200 6th Avenue | Suite 900 | AWT-150

**NOTE NEW MAILING ADDRESS**

Seattle, WA 98101

[mullin.michelle@epa.gov](mailto:mullin.michelle@epa.gov)

206-553-1616

[www.epa.gov/region10/pcb.html](http://www.epa.gov/region10/pcb.html)

**From:** Leonova, Larisa

**Sent:** Wednesday, February 24, 2016 12:05 PM

**To:** Mullin, Michelle <[Mullin.Michelle@epa.gov](mailto:Mullin.Michelle@epa.gov)>

**Cc:** Star, David <[star.david@epa.gov](mailto:star.david@epa.gov)>

**Subject:** PCB R5 CRL SOPs for TSCA

Michelle, R5 PCB SOPs are attached here for your Info.

We have several other SOPs for PCB use that can be used, but are not exclusive to TSCA samples. The attached SOPs are used primarily for TSCA. Those not attached can be requested later, if you need them. They should be referenced in the analytical SOPs above.

Thank you



Larisa Lenova, Ph.D

Chemicals Management Branch (LC-8J)

Land and Chemicals Division

U.S. Environmental Protection Agency

77 W. Jackson

Chicago, IL 60604

312-353-5838(phone)

312-408-2291 (fax)

[leonova.larisa@epa.gov](mailto:leonova.larisa@epa.gov)

**CONFIDENTIALITY NOTICE – UNCLASSIFIED INFORMATION**

This message is intended exclusively for the individual(s) of entity(s) to which it is addressed. This communications may contain information that is proprietary, privileged, or confidential or otherwise legally exempt from disclosure. If you are not the named addressee, you are not authorized to read, print, retain, copy, or disseminate this message or any part of it. If you have received this message in error, please notify the sender immediately by email and delete all copies of the message.